

Product Features



- Reinforced front glass, anti-glare surface treatment (chemically etched)
- Driver support for all the current operating systems
- A+ quality LED backlight panels
- 10-Finger-Multi Touch Capacitive Touch Panel
- Patented IP65 front with silicon seal
- The most common video connectors available
- High resolution LCD Panels

Specifications

Product name	13.3" Capacitive Touch Monitor
Article code / EAN number	ZL133TMBCAP/6920734013104

IP Rating	
IP65 Front / IP40 Back	

LCD Panel	
Screen diagonal (Inch/cm)	13.3/33.78
Display active screen size (cm)	29.37×16.52
Aspect ratio	16:9
Physical resolution	1920*1080
Maximum showable resolution	1920*1080
Colours displayed	16.7M
Brightness	350 cd/m2
Contrast	700:1
Typical reaction time Tr/ Tf (ms)	14/11
Visual Angle horizontal/vertical (°)	178/178
Backlight / Backlight Lifetime (hours)	LED / min. 15,000

External Connectors	
Video	1×VGA
	1×DVI-D
	1×HDMI 1.3(incl.HDCP)
Audio	1×PC-Audio
Touch Connector	1×USB
Connectors	1×12V DC-IN

Touch Panel	
Touch Technology	Projected Capacitive 10-point Multitouch
Touch Panel Drivers	Windows; Linux; Mac; Android
Touch Life (Contacts)	Unlimited
Surface Hardness	7H
Surface Treatment	Anti-glare (chemical etched)

Operation/Mechanical	
Operating Temperature (°C)	-10 ~ +60
Humidity Range (RH)	10% - 90%
Net weight (kg)	1.5
Gross weight (kg)	3.5(incl. packing)
Housing material	Rubber front case, Plastic back case
Housing (cm) L × W × H	34.76 × 21.91 × 3.15
Mounting	VESA 100

Power	
Power Indicator	Green LED
Power Supply	100-240V ACDC active switching; 12V DC-Out
Working Power (V)	12
Power Consumption (W)	22
Stand-By Consumption (W)	<1

Included in the Delivery	
Power Supply(see Power section)	
Diver DVD	
Short installation Manual	
Cables-VGA,USB Touch,Audio Cable	

Sales Manager:
Lexi Liao

Email: liao.xuan@baobao-industries.com
Tel/WhatsApp: 0086 18503036061
Skype: greenlikespring

Website: www.baobao-industries.com
Address: 2 / F, Building B, Xinzhongtai Science and Technology Park,
Guangming New District, Shenzhen